

according to Regulation (EC) No 1907/2006

PROFIGLASS					
Revision date: 20.09.2017	G522	Page 1 of 9			
SECTION 1: Identification of th	SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier PROFIGLASS					
1.2. Relevant identified uses of th	e substance or mixture and uses advised against				
Use of the substance/mixture Washing and cleaning produ Glass and window cleaner, Process categories [PROC]	6				
1.3. Details of the supplier of the	•				
Company name: Street: Place: e-mail: Internet:	ROSSARI BIOTECH LIMITED Manufactured under licence from buzil Plot No. 10 & 11, Survey No.90/1/10 & 90/1/11/1, Kumbharwadi, Village Naroli 396235 Silvassa, Dadra and Nagar Haveli (UT), India info@rossarimail.com www.buzil-rossari.com & www.rossari.com				
1.4. Emergency telephone	+91-22-61233800/61233887				

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. The product does not support combustion. It therefore needs not to be classified as flammable despite a flash point below 60 °C.

2.2. Label elements

number:

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

PROFIGLASS

Revision date: 20.09.2017

G522

Page 2 of 9

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification according to Regu	ation (EC) No. 1272/2008 [Cl	.P]	
64-17-5	ethanol			5 - < 10 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H	319		
5131-66-8	3-butoxypropan-2-ol, propylene	glycol monobutyl ether		1 - < 5 %
	225-878-4	603-052-00-8	01-2119475527-28	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004 perfumes.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet alcohol resistant foam Carbon dioxide Extinguishing powder

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide Carbon monoxide



according to Regulation (EC) No 1907/2006

PROFIGLASS

Revision date: 20.09.2017

G522

Page 3 of 9

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Wear personal protection equipment (refer to section 8). When using do not eat, drink or smoke. Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Keep container tightly closed.

Advice on storage compatibility

No special measures are necessary.

7.3. Specific end use(s)

There are no data available on the mixture itself.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

PROFIGLASS

Revision date: 20.09.2017

G522

Page 4 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls

Protective and hygiene measures

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat, drink or smoke.

Eye/face protection

Eye protection: not required.

Hand protection

By long-term hand contact: Wear suitable gloves. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time) >480 min. A survey of suitable brands with detailed information on breakthrough times is available upon request .

Skin protection

Wear suitable work clothing.

Respiratory protection

If extensively sprayed or used with high pressure equipment: combination filter A1/P2 (EN 143, EN 14387). Use only in well-ventilated areas.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid	
Odour:	Perfumes, fragrances	
		Test method
pH-Value (at 20 °C):	7 - 8	
Changes in the physical state Melting point: Initial boiling point and boiling range:	-3 °C >85 °C	
Flash point:	46 °C	
Flammability Solid: Gas:	not applicable not applicable	
Lower explosion limits: Upper explosion limits:	not determined not determined	
Auto-ignition temperature Solid: Gas: Decomposition temperature:	not applicable not applicable not determined	



according to Regulation (EC) No 1907/2006

	PROFIGLASS	
Revision date: 20.09.2017	G522	Page 5 of 9
Oxidizing properties Not oxidising.		
Vapour pressure:	not determined	
Density (at 25 °C):	0,98 g/cm³	
Water solubility:	completely miscible	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Viscosity / dynamic: (at 25 °C)	<10 mPa·s	
Vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

PROFIGLASS

Revision date: 20.09.2017

G522

Page 6 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-17-5	ethanol					
	oral	LD50 mg/kg	>2000	Rat	ATE	
	dermal	LD50 mg/kg	>2000	Rat	ATE	
	inhalative vapour	LC50	>20 mg/l	Rat	ATE	
5131-66-8	3-butoxypropan-2-ol, propylene glycol monobutyl ether					
	oral	LD50 mg/kg	>2000	Rat	ATE	
	dermal	LD50 mg/kg	>2000	Rat	ATE	
	inhalative vapour	LC50	>20 mg/l	Rat	ATE	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

12.1. IOXICI	<u></u>						
CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64-17-5	ethanol						
	Acute fish toxicity	LC50 mg/l	>1000	96 h			
	Acute algae toxicity	ErC50 mg/l	>100				
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h			
5131-66-8	3-butoxypropan-2-ol, propylene glycol monobutyl ether						
	Acute fish toxicity	LC50 1000 mg/l	560 -		Poecilia reticulata (Guppy)		
	Acute crustacea toxicity	EC50 mg/l	>1000		Daphnia magna (Big water flea)		

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.



according to Regulation (EC) No 1907/2006

PROFIGLASS Revision date: 20.09.2017 Page 7 of 9 G522 CAS No Chemical name Method Value Source d Evaluation 64-17-5 ethanol **OECD 301** >60% 28 Readily biodegradable (according to OECD criteria) 5131-66-8 3-butoxypropan-2-ol, propylene glycol monobutyl ether **OECD 301** >60% 28

Readily biodegradable (according to OECD criteria).

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information Land transport (ADR/RID) 14.1. UN number: No dangerous good in sense of these transport regulations. Inland waterways transport (ADN) 14.1. UN number: No dangerous good in sense of these transport regulations. Marine transport (IMDG) 14.1. UN number: No dangerous good in sense of these transport regulations. Air transport (ICAO-TI/IATA-DGR) 14.1. UN number: No dangerous good in sense of these transport regulations. 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: no



according to Regulation (EC) No 1907/2006

	according to Regulation (EC) No 19	07/2006	
	PROFIGLASS		
Revision date: 20.09.2017	G522		Page 8 of 9
14.6. Special precautions for user No special measures are necessary			
14.7. Transport in bulk according to Anne not applicable	ex II of Marpol and the IBC Code		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental reg	gulations/legislation specific for the s	substance or mixture	
EU regulatory information			
2010/75/EU (VOC):	<30%		
Additional information Regulation (EC) No. 648/2004 (Dete	ergents regulation)		
National regulatory information			
Water contaminating class (D):	1 - slightly water contaminating		
15.2. Chemical safety assessment			
Chemical safety assessments for su	bstances in this mixture were not carrie	ed out.	
SECTION 16: Other information			
dangereuses par Route (European Agreement concerning the IMDG: International Maritime Code of IATA: International Air Transport Ass GHS: Globally Harmonized System EINECS: European Inventory of Exist ELINCS: European List of Notified C CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Process categories according to EC assessment, chapter R.12: PROC 1: Use in closed processes.	properties ADR: Accord européen sur le International Carriage of Dangerous for Dangerous Goods lociation of Classification and Labelling of Chem sting Commercial Chemical Substance Chemical Substances	Goods by Road) nicals s	
 PROC 2: Chemical production or referencesses with equivalent containing PROC 4: Chemical production when PROC 7: Industrial spraying PROC 8 (Transfer): Dilution of concagents. PROC 9: Transfer of substance or p PROC 10 (Roller application or brus PROC 11 (Spraying outside industrial cleaning, foam gun). PROC 13: Treatment of articles by construction or production or generation. 	e opportunity for exposure arises entrated products, application of drain o reparation into small containers (dedic hing): Processing without large-scale s al settings): Processing with large-scale	cleaners, dosage of textile washing ated filling line, including weighing) spraying. e spraying (e.g. high pressure	
	· · ·	IUI.	
evision No: 2,1	GB - EN	Print date	: 16.11.2017



according to Regulation (EC) No 1907/2006

PROFIGLASS

Revision date: 20.09.2017

G522

Page 9 of 9

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
EUH210	Safety data sheet available on request.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)