

Safety Data Sheet



according to Regulation (EC) No 1907/2006

ROSS TC

Revision date: 15.11.2017

BR401

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ROSS TC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products (including solvent based products)

Sanitary cleaner, corrosive

Process categories [PROC]: 10

1.3. Details of the supplier of the safety data sheet

Company name: ROSSARI BIOTECH LIMITED
Street: Plot No. 10 & 11, Survey No.90/1/10 & 90/1/11/1, Kumbharwadi, Village Naroli
Place: 396235 Silvassa, Dadra and Nagar Haveli (UT), India
e-mail: info@rossarimail.com
Internet: www.buzil-rossari.com & www.rossari.com

1.4. Emergency telephone number: +91-22-61233800/61233887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1B

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Hydrochloric acid

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

Safety Data Sheet



according to Regulation (EC) No 1907/2006

ROSS TC

Revision date: 15.11.2017

BR401

Page 2 of 10

P310 present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | | | Quantity |
|------------|------------------------------------------------------------------------------------------------------------------------|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | |
| | Hydrochloric acid | | | 10 - < 15 % |
| | 231-595-7 | 017-002-01-X | 01-2119484862-27 | |
| | Skin Corr. 1B, STOT SE 3; H314 H335 | | | |
| 25307-17-9 | fatty amine polyethoxilate | | | 1 - < 5 % |
| | 246-807-3 | | 01-2119510876-35 | |
| | Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 1); H302 H314 H400 H410 | | | |

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.
Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.
Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet

ROSS TC

Revision date: 15.11.2017

BR401

Page 3 of 10

alcohol resistant foam

Carbon dioxide

Extinguishing powder

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide

Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid contact with skin, eyes and clothes.

Do not mix with other chemicals.

Use personal protection equipment.

When using do not eat, drink or smoke.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed.

Advice on storage compatibility

No special measures are necessary.

7.3. Specific end use(s)

There are no data available on the mixture itself.

ROSS TC

Revision date: 15.11.2017

BR401

Page 4 of 10

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|-----------|-------------------------------------------|-----|-------------------|-----------|---------------|--------|
| 7647-01-0 | Hydrogen chloride (gas and aerosol mists) | 1 | 2 | | TWA (8 h) | WEL |
| | | 5 | 8 | | STEL (15 min) | WEL |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|----------------------------|----------------|----------|-------------------------|
| 25307-17-9 | fatty amine polyethoxilate | | | |
| Worker DNEL, long-term | | inhalation | systemic | 1,76 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 0,25 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 0,621 mg/m ³ |
| Consumer DNEL, long-term | | oral | systemic | 0,179 mg/kg bw/day |
| Consumer DNEL, long-term | | dermal | systemic | 0,179 mg/kg bw/day |

PNEC values

| CAS No | Substance | Value |
|--------------------------------------------------|----------------------------|----------------|
| 25307-17-9 | fatty amine polyethoxilate | |
| Freshwater | | 0,000214 mg/l |
| Marine water | | 0,0000214 mg/l |
| Marine sediment | | 0,0171 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 1,5 mg/kg |
| Soil | | 5 mg/kg |
| Secondary poisoning | | 2 mg/kg |

8.2. Exposure controls

Protective and hygiene measures

- Take off contaminated clothing.
- Wash hands before breaks and after work.
- When using do not eat, drink or smoke.

Eye/face protection

Wear eye protection/face protection. (EN 166)

Hand protection

- When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.
- Suitable material: NBR (Nitrile rubber).
- Breakthrough time (maximum wearing time) >480 min.
- A survey of suitable brands with detailed information on breakthrough times is available upon request.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

ROSS TC

Revision date: 15.11.2017

BR401

Page 5 of 10

Skin protection

Wear suitable work clothing.

Respiratory protection

Usually no personal respirative protection necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour:
Odour: characteristic

Test method

pH-Value (at 20 °C): 0 - 1

Changes in the physical state

Melting point: approx. 0 °C
Initial boiling point and boiling range: approx. 100 °C
Flash point: not applicable

Flammability

Solid: not applicable
Gas: not applicable

Lower explosion limits: not determined
Upper explosion limits: not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 25 °C): 1,04 g/cm³

Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic:
(at 25 °C) 400 - 600 mPa·s

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

ROSS TC

Revision date: 15.11.2017

BR401

Page 6 of 10

10.1. Reactivity

Exothermic reaction with: Alkali (lye)

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Alkali (lye)

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Alkali (lye)

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|------------|----------------------------|------------------|---------|----------|--------|
| | Exposure route | Dose | Species | Source | Method |
| | Hydrochloric acid | | | | |
| | oral | LD50 >2000 mg/kg | Rat | ATE | |
| | dermal | LD50 >2000 mg/kg | Rat | ATE | |
| | inhalative gas | LC50 700 ppm | Rat | ATE | |
| 25307-17-9 | fatty amine polyethoxilate | | | | |
| | oral | LD50 1260 mg/kg | Rat | OECD 401 | |
| | dermal | LD50 >2000 mg/kg | Rat | ATE | |
| | inhalative aerosol | LC50 >5 mg/l | Rat | ATE | |

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

ROSS TC

Revision date: 15.11.2017

BR401

Page 7 of 10

SECTION 12: Ecological information

12.1. Toxicity

| CAS No | Chemical name | | | | | |
|------------|----------------------------|-------------------|-----------|--------------------------------|----------|--------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| | Hydrochloric acid | | | | | |
| | Acute fish toxicity | LC50 862 mg/l | 96 h | Leuciscus idus (golden orfe) | | |
| 25307-17-9 | fatty amine polyethoxilate | | | | | |
| | Acute fish toxicity | LC50 0,1 mg/l | 96 h | Brachydanio rerio (zebra-fish) | OECD 203 | |
| | Acute algae toxicity | ErC50 mg/l 0,0867 | 72 h | | OECD 201 | |
| | Acute crustacea toxicity | EC50 mg/l 0,043 | 48 h | Daphnia magna (Big water flea) | OECD 202 | |
| | Acute bacteria toxicity | (128 mg/l) | 3 h | Activated sludge | OECD 209 | |

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

| CAS No | Chemical name | | | |
|------------|-----------------------------------------------------|-------|----|--------|
| | Method | Value | d | Source |
| | Evaluation | | | |
| 25307-17-9 | fatty amine polyethoxilate | | | |
| | OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C | >60% | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | |

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|----------------------------|---------|
| 25307-17-9 | fatty amine polyethoxilate | 3,4 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|----------------------------|------|---------|--------|
| 25307-17-9 | fatty amine polyethoxilate | 23,4 | | |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

ROSS TC

Revision date: 15.11.2017

BR401

Page 8 of 10

Delivery to an approved waste disposal company.

Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors
Classified as hazardous waste.

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1789
14.2. UN proper shipping name: HYDROCHLORIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8
Classification code: C1
Special Provisions: 520
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 1789
14.2. UN proper shipping name: HYDROCHLORIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8
Classification code: C1
Special Provisions: 520
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number: UN 1789
14.2. UN proper shipping name: HYDROCHLORIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8
Special Provisions: 223
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1789

Safety Data Sheet



according to Regulation (EC) No 1907/2006

ROSS TC

Revision date: 15.11.2017

BR401

Page 9 of 10

| | |
|------------------------------------------|-------------------|
| 14.2. UN proper shipping name: | HYDROCHLORIC ACID |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Special Provisions: | A3 A803 |
| Limited quantity Passenger: | 1 L |
| Passenger LQ: | Y841 |
| Excepted quantity: | E1 |
| IATA-packing instructions - Passenger: | 852 |
| IATA-max. quantity - Passenger: | 5 L |
| IATA-packing instructions - Cargo: | 856 |
| IATA-max. quantity - Cargo: | 60 L |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No special measures are necessary.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): <30%

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation)

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

ROSS TC

Revision date: 15.11.2017

BR401

Page 10 of 10

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection.

Relevant H and EUH statements (number and full text)

| | |
|------|-------------------------------------------------------|
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)